



PATENT
Case No. 659-1149
Client Case No. 18,666

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Richlen, et al.

Serial No.: 10/748,712

Filing Date: December 30, 2003

For: THREE-PIECE GARMENT
HAVING AN ABSORBENT
INSERT SECURED WITH
VARIABLE ADHESIVE REGIONS

Examiner: Chapman, Ginger T.

Group Art Unit No.: 3761

DECLARATION UNDER 37 CFR § 1.131

We, Sandra A. Richlen, Paul Christoffel, Suzanne M. Schmoker, Paul Hasler, Sarah Freiburger, David Bishop and Melanie Milslagle, hereby declare that:

1. We are the named inventors in the above-referenced patent application.
2. As evidenced by the attached documents (Tabs 1 and 2), we conceived of and reduced to practice in this country an embodiment of the invention claimed in the above-referenced application prior to May 8, 2003, which is the publication date of U.S. Publication No. US 2003/0088230 A1 (corresponding to Appl. No. 10/053,251 filed November 2, 2001 - now USP 6,755,808). The attached documents are true and correct copies of the original documents with the exception of the redaction of various dates that appear on the originals, and also the redaction of other information not relevant to the present inquiry.

3. As evidenced by the attached Invention Disclosure (Tab 1), which was signed by us prior to May 8, 2003, we conceived of a disposable garment "constructed of a three-piece or H-shaped chassis which incorporates the application of an additional adhesive at the location where the crotch edge of the chassis meets with the absorbent insert" (Tab 1 at 1). "The second adhesive provides additional insert attachment strength at the intersection of the absorbent insert with both the front and back chassis panels" (Tab 1 at 1). "This invention is unique in that it utilizes a secondary adhesive to enhance product integrity and performance only in targeted areas of a three-piece product" (Tab 1 at 1).

4. As evidenced by the attached Invention Disclosure (Tab 1), and further by the drawings of the RSR 4732 product (Tab 2) referred to therein, we reduced the invention to practice prior to May 8, 2003. The RSR 4732 product, which was made prior to May 8, 2003, included front and rear body panels having terminal waist and crotch edges (Tabs 1 and 2). An absorbent insert having first and second longitudinally spaced end portions and opposite laterally spaced side edges bridged the gap between the front and rear body panels (Tab 2). The first and second ends of the absorbent insert were connected to the front and rear body panels with first and second adhesive regions (Tabs 1 at 2 and Tab 2). The first adhesive region included an intermittent application to the absorbent insert, while the second adhesive region included a bead application along the terminal crotch edge of the body panels (Tab 1 at 1 and 2 and Tab 2). Other various aspects of our invention are also shown and disclosed in the attached Invention Disclosure and drawing (Tabs 1 and 2).

5. All statements made of my/our own knowledge are true, and all statements made on information and belief are believed to be true. I am aware that willful false statements and the like are punishable by fine or imprisonment, or both (18 U.S.C. 1001) and may jeopardize the validity of this application and any patent issuing therefrom.

Sandra A. Richlen
Sandra A. Richlen

Dated: June 15, 2006

Paul Christoffel
Paul Christoffel

Dated: _____

Suzanne M. Schmoker
Suzanne M. Schmoker

Dated: June 15, 2006

Paul Hasler
Paul Hasler

Dated: _____

Sarah Freiburger
Sarah Freiburger

Dated: _____

David Bishop
David Bishop

Dated: _____

Melanie Milsagle
Melanie Milsagle

Dated: June 16, 2006

5. All statements made of my/our own knowledge are true, and all statements made on information and belief are believed to be true. I am aware that willful false statements and the like are punishable by fine or imprisonment, or both (18 U.S.C. 1001) and may jeopardize the validity of this application and any patent issuing therefrom.

Sandra A. Richlen

Dated: _____

Paul Christoffel

Paul Christoffel

Dated: June 15, 2006

Suzanne M. Schmoker

Dated: _____

Paul Hasler

Dated: _____

Sarah Freiburger

Dated: _____

David Bishop

Dated: _____

Melanie Milsagle

Dated: _____

5. All statements made of my/our own knowledge are true, and all statements made on information and belief are believed to be true. I am aware that willful false statements and the like are punishable by fine or imprisonment, or both (18 U.S.C. 1001) and may jeopardize the validity of this application and any patent issuing therefrom.

Sandra A. Richlen

Dated: _____

Paul Christoffel

Dated: _____

Suzanne M. Schmoker

Dated: _____

Paul Hasler

Dated: _____



Sarah Freiburger

Dated: June 15, 2006

David Bishop

Dated: _____

Melanie Milslagle

Dated: _____

5. All statements made of my/our own knowledge are true, and all statements made on information and belief are believed to be true. I am aware that willful false statements and the like are punishable by fine or imprisonment, or both (18 U.S.C. 1001) and may jeopardize the validity of this application and any patent issuing therefrom.

Sandra A. Richlen

Dated: _____

Paul Christoffel

Dated: _____

Suzanne M. Schmoker

Dated: _____

Paul Hasler

Dated: _____

Sarah Freiburger

Dated: _____

David P. Bishop
David Bishop

Dated: June 15, 2006

Melanie Milslagle

Dated: _____

Invention Disclosure

Submitter:

Answer all parts of this form. Two corroborators must understand the invention. Photocopy the completed form in duplex format, making sure that each odd-numbered page is backed by an even-numbered page with the signature block. The submitter(s) and both corroborators must sign and date the reverse side of the duplexed form in blue ink, as well as every additional sheet submitted with it. Use given name with middle initial. The last part of this form is recommended when additional sheets are required. If your group has a patent facilitator, preview the original with him or her. Send the signed, duplexed form to Kimberly-Clark Corporation, Patent Department, Neenah, WI.

Disclosure No. 186666

Department _____

Recommended Attorney _____

For Legal Department use only

PAR Number: 244

Name of Affiliate/Subsidiary/Licensee, if applicable:

Key Words

DISPOSABLE, ATTACHMENT STRENGTH, ABSORBENT INSERT, pant, Adhesive

1. Title

THREE-PIECE DISPOSABLE GARMENT WITH IMPROVED ATTACHMENT AND INTEGRITY

2. Description (Sign and date each page. Attach pertinent drawings, photographs, block diagrams, flow charts, etc.)

a. Summary (Should disclose invention in general, nontechnical terms)

This invention discloses disposable garments constructed of a three-piece or H-shape chassis which incorporates the application of an additional adhesive at the location where the crotch edge of the chassis meets with the absorbent insert. The second adhesive provides additional insert attachment strength at the intersection of the absorbent insert with both the front and back chassis panels. This additional attachment strength prevents the insert and chassis from peeling away from each other in an area where there is a great deal of stress when the garment is being worn. Additionally, it improves product fit and performance by maintaining product fit and gasketing which would be lost if product integrity was sacrificed. This invention is unique in that it utilizes a secondary adhesive to enhance product integrity and performance only in targeted areas of a three-piece product. Specifically, there is higher peel strength at the intersection of the chassis with the insert. Higher peel strength may also be targeted in other areas of the intersection of the insert and chassis webs to obtain the desired product fit, integrity and leakage performance.

b. Detailed description, including specific embodiments and applicable alternatives, ranges and products, and process/apparatus variations.

Two webs of 0.55 osy spunbond are laminated with waist and leg elastics contained within them. A laminate such as this comprises both the front and back panel of the garment. An insert with an outer cover material of breathable stretch thermal laminate (BSTL) has approximately 7 gsm of adhesive applied to the intermittent area where it will contact the H-shape chassis. A concentrated amount of adhesive (30 gsm) is intermittently applied to the body side of the front and back panel (chassis) about 0.25" from the inside edge of the panel where the outermost portion of the chassis will intersect with the insert. The concentrated adhesive can be applied using a bead applicator or a summit applicator. This invention can be applied to a three piece DEPEND® Protective Underwear or the current DEPEND® Refastenable Underwear. Preliminary data suggest the concentrated adhesive provides a peel strength with a peak load of 7000 grams versus a peak load for the rest of the insert attachment area of between 1250 grams and 1338 grams.

c. How does the invention distinguish from what has been done in the past and what advantages are obtained? Identify related work done by others (patents, journal articles, etc.). Identify other related disclosures of which you may have knowledge, or other work within Kimberly-Clark Corporation within the same area.

Jen Marvin conducted a preliminary search which turned up no prior art in this area.

3. I (We) first conceived the above idea on

Rec'd by EB page disclosure with 0 attachments on

Rec'd by 43 as part of 18666 on

4. I (We) first disclosed the above idea to others on
5. The persons to whom the above idea was first disclosed are: Dave Swanton, Mark Jung.
6. The first written description of the above idea is in the form of trial plan dated and is now located in Paul Christoffel's fire-proof safe at KCS.
7. The first sketch or drawing of the above idea was made on NA and is now located in . Its number is
8. The first sample/embodiment illustrating the above idea was made on J and is now located in Legal storage - KCS Its identification number is f
9. The above idea was first actually tried on . Describe how and when it was tried, including a complete description and date of the first time the idea was tried and, if the first attempt was unsuccessful, the first time it was successfully tried.
- A trial was ran at Nordson, Corp. in which confirmed that increased peel strength could be achieved with a bead type adhesive application laminated between the Breathable Stretch Thermal Laminate (BSTL) and wettable liner.
- This idea was first actually tried on a product during RSR 4732 which was ran at Neenah Cold Spring Facility from This trial applied an intermittent bead adhesive to the bodyside linr (BSL) of the front panel, approximately 1/4" from the inside (operator side) edge of the panel. The bead was matched with the location the insert would be applied. Products manufactured during this trial were placed in several consumer preference and technical leakage studies. A second trial was conducted which applied this concept to both the front and back panel of the H-shape product.

Submitter	<u>David F. Bishop</u> David F. Bishop	Adult Care Research/KCS	Signed
		Dept./Location	
Submitter	<u>Paul Christoffel</u> Paul Christoffel	Adult Care Research/KCS	Signed
		Dept./Location	
Submitter	<u>Sarah Frieberger</u> Sarah Frieberger	IC - APD/KC-WRE	Signed
		Dept./Location	
Submitter	<u>Paul Hasler</u> Paul Hasler	Infant Care - MKTPLC	Signed
		Dept./Location	
Submitter	<u>Melanie Mislach</u> Melanie Mislach	Adult Care Research/KCS	Signed
		Dept./Location	
Submitter	<u>Sandra A. Richlen</u> Sandra A. Richlen	Adult Care Research/KCS	Signed
		Dept./Location	
Submitter	<u>Sue Schmoker</u> Sue Schmoker	Adult Care Research/KCS	Signed
		Dept./Location	
Manager (Review)	<u>Jean Niemeyer</u> Jean Niemeyer	Adult Care Research/KCS	Signed
		Dept./Location	
The foregoing signed disclosure was read and understood by me on the date here			
Corroborator	<u>Jennifer Martin</u> Jennifer Martin	Adult Care Research/KCS	Signed
		Dept./Location	
Corroborator	<u>Bridget Balogh</u> Bridget Balogh	Adult Care Research/KCS	Signed
		Dept./Location	

Invention Disclosure

Title

15. List the names of everyone who has contributed to this idea. *(Those listed cannot be corroborators. A submitter should provide a copy of the completed disclosure to each listed K-C employee.)*

Paul Christoffel, Sue Schmoker, Paul Hasler, Sarah Frieburger, David F. Bishop, Melanie Milsagle, Sandy Richlen

Rec'd by KB as part of 18666 on _____

Rec'd by KB as part of 17666 on _____

Submitter David F. Bishop
David F. Bishop

Adult Care Research/KCS Signed
Dept./Location

Submitter Paul Christoffel
Paul Christoffel

Adult Care Research/KCS Signed
Dept./Location

Submitter Sarah Frieburger
Sarah Frieburger

IC - APD/KC-WRE Signed
Dept./Location

Submitter Paul Hasler
Paul Hasler

CHILD CARE
Infant Care - MKTPLC Signed
Dept./Location

Submitter Melanie Milsagie
Melanie Milsagie

Adult Care Research/KCS Signed
Dept./Location

Submitter Sandra A. Richlen
Sandra A. Richlen

Adult Care Research/KCS Signed
Dept./Location

Submitter Sue Schmaker
Sue Schmaker

Adult Care Research/KCS Signed
Dept./Location

Manager (Review) Jean Niemeyer
Jean Niemeyer

Adult Care Research/KCS Signed
Dept./Location

The foregoing signed disclosure was read and understood by me on the date here

Corroborator Jennifer Marvin
Jennifer Marvin

Adult Care Research/KCS Signed
Dept./Location

Corroborator Bridget Balogh
Bridget Balogh

Adult Care Research/KCS Signed
Dept./Location

